ELSEVIER

Sensors and Actuators B 42 (1997) 241–244

SENSORS AND ACTUATORS B CHEMICAL

Subject Index of Volume B 42

Acid–base interaction
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
a.c. measurements
resistance characteristics of conducting polymer films used in gas sensors, 177
Acoustic wave sensors
predicting mass loading sensitivity for acoustic wave sensors operating in air, 109
Adsorption
detection of hydrocarbons in air by adsorption on Pt-electrodes using continuous impedance measurements, 31
the influence of CO on the response of hydrogen sensitive Pd–MOS devices, 217
Amines
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
Bilayer lipid membranes
potentiometric determination of selective interaction of odorants on black lipid membranes, 145
Biomimetic sensor
potentiometric determination of selective interaction of odorants on black lipid membranes, 145
Biosensor
subpicosecond-pulse laser microstructuring for enhanced reproducibility of biosensors, 151
urease-based biosensor for mercuric ions determination, 233
Biosensors
predicting mass loading sensitivity for acoustic wave sensors operating in air, 109
Blood analysis
blood diagnostics using fiberoptic evanescent wave spectroscopy and neural networks analysis, 157
Calix[*n*]arene
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
Capacitance
a capacitance-type chemical sensor that employs VAPO-5, MnAPO-5 and MAPO-36 molecular sieves as the dielectric phase, 67
Capacitive humidity sensors
a poly(ethyleneterephthalate)-based humidity sensor, 27
Carbon monoxide
the influence of CO on the response of hydrogen sensitive Pd–MOS devices, 217
β-Carotene
potentiometric determination of selective interaction of odorants on black lipid membranes, 145
Charged polymer
urease-based biosensor for mercuric ions determination, 233
Chemical sensor
experimental and theoretical study of the response of ZrO_2 oxygen sensors to simple one-reducing-gas mixtures, 15
Complexation
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
Cyclic voltammetry
gas microsensors using cyclic voltammetry with a cermet electrochemical cell, 1
Delayed fracture
measurement of hydrogen permeation into steel by using hollow bolt and SnO_2 gas sensor, 131
Distributed feedback laser diodes
oxygen sensing using single-frequency DFB laser diodes at $\lambda =$ 761 nm, 163
DNA
spectroscopic study of thin multilayer films of the complexes of nucleic acids with cationic amphiphiles and polycations: their possible use as sensor elements, 225
Drift counteraction
drift counteraction in odour recognition applications: lifelong calibration method, 185
Electrode
detection of hydrocarbons in air by adsorption on Pt-electrodes using continuous impedance measurements, 31
Electromotive force
the application of solid fluoride electrolytes in chemical sensors, 119
Electronic nose
drift counteraction in odour recognition applications: lifelong calibration method, 185
resistance characteristics of conducting polymer films used in gas sensors, 177
Electrostatic actuation
a micromachined surface work-function gas sensor for low-pressure oxygen detection, 195
FEWS
blood diagnostics using fiberoptic evanescent wave spectroscopy and neural networks analysis, 157
Fiber-optic
a compact fiber-optic immunosensor for *Salmonella* based on evanescent wave excitation, 169
Film
spectroscopic study of thin multilayer films of the complexes of nucleic acids with cationic amphiphiles and polycations: their possible use as sensor elements, 225
Fluorescence
a compact fiber-optic immunosensor for *Salmonella* based on evanescent wave excitation, 169
Fluorides
the application of solid fluoride electrolytes in chemical sensors, 119
Fullerene layers
humidity adsorptive properties of thin fullerene layers studied by means of quartz micro-balance, 11

Elsevier Science S.A.

ω-functional groups
organic vapour sensors based on quartz crystal microbalance coated with self-assembled monolayers, 59
Galvanic cells
the application of solid fluoride electrolytes in chemical sensors, 119
Gas classification
effect of surface catalysts on the long-term performance of reactively sputtered tin and indium oxide gas sensors, 95
Gas microsensor
gas microsensors using cyclic voltammetry with a cermet electrochemical cell, 1
Gas sensor
a micromachined surface work-function gas sensor for low-pressure oxygen detection, 195
characteristics of silicon-micromachined gas sensors based on Pt/TiO_x thin films, 205
detection of NH_3 and H_2S with thick film semiconductor sensors based on $Cd_{2-x}GeO_{4-x-3y}N_{2y}$ oxynitrides, 47
Gas sensors
applications in gas-sensing devices of a new macrocyclic copper complex, 53
Glucose
subpicosecond-pulse laser microstructuring for enhanced reproducibility of biosensors, 151
Heavy metal ions
urease-based biosensor for mercuric ions determination, 233
H_2S detection
detection of NH_3 and H_2S with thick film semiconductor sensors based on $Cd_{2-x}GeO_{4-x-3y}N_{2y}$ oxynitrides, 47
Humidity sensors
a poly(ethyleneterephthalate)-based humidity sensor, 27
humidity adsorptive properties of thin fullerene layers studied by means of quartz micro-balance, 11
Hydrogen
the influence of CO on the response of hydrogen sensitive Pd–MOS devices, 217
Hydrogen permeation
measurement of hydrogen permeation into steel by using hollow bolt and SnO_2 gas sensor, 131
Hydrogen sensor
characteristics of silicon-micromachined gas sensors based on Pt/TiO_x thin films, 205
Immobilized indicator
peculiarities of thermodynamic behavior of immobilized acid–base indicators in membrane opt(r)odes, 85
Immunoreaction
evaluation of binding of human serum albumin (HSA) to monoclonal and polyclonal antibody by means of piezoelectric immunosensing technique, 89
Immunosensor
a compact fiber-optic immunosensor for *Salmonella* based on evanescent wave excitation, 169
Impedance
detection of hydrocarbons in air by adsorption on Pt-electrodes using continuous impedance measurements, 31
Insertion loss
predicting mass loading sensitivity for acoustic wave sensors operating in air, 109
Ionization constant
peculiarities of thermodynamic behavior of immobilized acid–base indicators in membrane opt(r)odes, 85
Kelvin probe
a micromachined surface work-function gas sensor for low-pressure oxygen detection, 195
Kinetic analysis
evaluation of binding of human serum albumin (HSA) to monoclonal and polyclonal antibody by means of piezoelectric immunosensing technique, 89
Langmuir–Blodgett
spectroscopic study of thin multilayer films of the complexes of nucleic acids with cationic amphiphiles and polycations: their possible use as sensor elements, 225
Laser ablation
a capacitance-type chemical sensor that employs VAPO-5, MnAPO-5 and MAPO-36 molecular sieves as the dielectric phase, 67
Mass loading sensitivity
predicting mass loading sensitivity for acoustic wave sensors operating in air, 109
Membrane perforation
subpicosecond-pulse laser microstructuring for enhanced reproducibility of biosensors, 151
Mercury
development of optochemical sensors for Hg(II), based on immobilized 2-(5-amino-3,4-dicyano-2*H*-pyrrol-2-ylidene)-1,1,2-tricyanoethanide, 39
Metal oxide gas sensors
effect of surface catalysts on the long-term performance of reactively sputtered tin and indium oxide gas sensors, 95
Micro-hot-plate
a micromachined surface work-function gas sensor for low-pressure oxygen detection, 195
Micromechanical
a micromachined surface work-function gas sensor for low-pressure oxygen detection, 195
Molecular sieves
a capacitance-type chemical sensor that employs VAPO-5, MnAPO-5 and MAPO-36 molecular sieves as the dielectric phase, 67
Multilayer
spectroscopic study of thin multilayer films of the complexes of nucleic acids with cationic amphiphiles and polycations: their possible use as sensor elements, 225
Neural network
blood diagnostics using fiberoptic evanescent wave spectroscopy and neural networks analysis, 157
NH_3 detection
detection of NH_3 and H_2S with thick film semiconductor sensors based on $Cd_{2-x}GeO_{4-x-3y}N_{2y}$ oxynitrides, 47
Noise
resistance characteristics of conducting polymer films used in gas sensors, 177
Non-linearity
resistance characteristics of conducting polymer films used in gas sensors, 177
Odorant compounds
potentiometric determination of selective interaction of odorants on black lipid membranes, 145
Opt(r)ode
peculiarities of thermodynamic behavior of immobilized acid–base indicators in membrane opt(r)odes, 85
Organic gases
detection of hydrocarbons in air by adsorption on Pt-electrodes using continuous impedance measurements, 31
Oxygen sensing
oxygen sensing using single-frequency DFB laser diodes at $\lambda =$ 761 nm, 163
Oxygen sensor
experimental and theoretical study of the response of ZrO_2 oxygen sensors to simple one-reducing-gas mixtures, 15
Oxygen sensors
the application of solid fluoride electrolytes in chemical sensors, 119

Pd–MOS sensors
the influence of CO on the response of hydrogen sensitive Pd–MOS devices, 217
Phthalocyanine
applications in gas-sensing devices of a new macrocyclic copper complex, 53
Platinum
characteristics of silicon-micromachined gas sensors based on Pt/TiO_x thin films, 205
detection of hydrocarbons in air by adsorption on Pt-electrodes using continuous impedance measurements, 31
Polycation
spectroscopic study of thin multilayer films of the complexes of nucleic acids with cationic amphiphiles and polycations: their possible use as sensor elements, 225
Polymer electrolyte
peculiarities of thermodynamic behavior of immobilized acid–base indicators in membrane opt(r)odes, 85
Polymeric humidity sensors
a poly(ethyleneterephthalate)-based humidity sensor, 27
Polypyrrole
resistance characteristics of conducting polymer films used in gas sensors, 177
Propylene sensor
characteristics of silicon-micromachined gas sensors based on Pt/TiO_x thin films, 205
Pyrrolizinato complexes
development of optochemical sensors for Hg(II), based on immobilized 2-(5-amino-3,4-dicyano-2*H*-pyrrol-2-ylidene)-1,1,2-tricyanoethanide, 39
Quartz crystal microbalance
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
evaluation of binding of human serum albumin (HSA) to monoclonal and polyclonal antibody by means of piezoelectric immunosensing technique, 89
organic vapour sensors based on quartz crystal microbalance coated with self-assembled monolayers, 59
Quartz micro-balance
humidity adsorptive properties of thin fullerene layers studied by means of quartz micro-balance, 11
Recursive model adaptation
drift counteraction in odour recognition applications: lifelong calibration method, 185
Reproducibility
subpicosecond-pulse laser microstructuring for enhanced reproducibility of biosensors, 151
Salmonella
a compact fiber-optic immunosensor for *Salmonella* based on evanescent wave excitation, 169
Sandwich method
evaluation of binding of human serum albumin (HSA) to monoclonal and polyclonal antibody by means of piezoelectric immunosensing technique, 89
SAW gas sensors
selective gas detection using uncoated SAW delay lines, 103
Selectivity
selective gas detection using uncoated SAW delay lines, 103
Self-assembled monolayer
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
Self-assembled monolayers
organic vapour sensors based on quartz crystal microbalance coated with self-assembled monolayers, 59
Semiconducting oxynitride
detection of NH_3 and H_2S with thick film semiconductor sensors based on $Cd_{2-x}GeO_{4-x-3y}N_{2y}$ oxynitrides, 47
Sensor
a capacitance-type chemical sensor that employs VAPO-5, MnAPO-5 and MAPO-36 molecular sieves as the dielectric phase, 67
spectroscopic study of thin multilayer films of the complexes of nucleic acids with cationic amphiphiles and polycations: their possible use as sensor elements, 225
Sensor degradation
effect of surface catalysts on the long-term performance of reactively sputtered tin and indium oxide gas sensors, 95
Sensors
development of optochemical sensors for Hg(II), based on immobilized 2-(5-amino-3,4-dicyano-2*H*-pyrrol-2-ylidene)-1,1,2-tricyanoethanide, 39
Sensor selectivity
effect of surface catalysts on the long-term performance of reactively sputtered tin and indium oxide gas sensors, 95
Silver halide
blood diagnostics using fiberoptic evanescent wave spectroscopy and neural networks analysis, 157
SnO_2 gas sensor
measurement of hydrogen permeation into steel by using hollow bolt and SnO_2 gas sensor, 131
Solid electrolyte
gas microsensors using cyclic voltammetry with a cermet electrochemical cell, 1
Solid electrolytes
the application of solid fluoride electrolytes in chemical sensors, 119
Specific interaction theory
peculiarities of thermodynamic behavior of immobilized acid–base indicators in membrane opt(r)odes, 85
Steady state model
experimental and theoretical study of the response of ZrO_2 oxygen sensors to simple one-reducing-gas mixtures, 15
Steel
measurement of hydrogen permeation into steel by using hollow bolt and SnO_2 gas sensor, 131
Subpicosecond laser ablation
subpicosecond-pulse laser microstructuring for enhanced reproducibility of biosensors, 151
Supramolecule
detection of organic amines in liquid with chemically coated quartz crystal microbalance devices, 137
Surface catalysts
effect of surface catalysts on the long-term performance of reactively sputtered tin and indium oxide gas sensors, 95
System identification
drift counteraction in odour recognition applications: lifelong calibration method, 185
Temperature coefficient
resistance characteristics of conducting polymer films used in gas sensors, 177
Tetracyanoethylene
development of optochemical sensors for Hg(II), based on immobilized 2-(5-amino-3,4-dicyano-2*H*-pyrrol-2-ylidene)-1,1,2-tricyanoethanide, 39
Thin films
characteristics of silicon-micromachined gas sensors based on Pt/TiO_x thin films, 205
Thin-films
development of optochemical sensors for Hg(II), based on immobilized 2-(5-amino-3,4-dicyano-2*H*-pyrrol-2-ylidene)-1,1,2-tricyanoethanide, 39
Thin films
applications in gas-sensing devices of a new macrocyclic copper complex, 53

Titania
characteristics of silicon-micromachined gas sensors based on Pt/TiO_x thin films, 205
Uncoated SAW delay line
selective gas detection using uncoated SAW delay lines, 103
Urease inhibition
urease-based biosensor for mercuric ions determination, 233
Wavelength modulation spectroscopy
oxygen sensing using single-frequency DFB laser diodes at $\lambda =$ 761 nm, 163
Work function
a micromachined surface work-function gas sensor for low-pressure oxygen detection, 195
Zirconia
experimental and theoretical study of the response of ZrO_2 oxygen sensors to simple one-reducing-gas mixtures, 15